

# SURF – PRO



TIME SAVER SURFACE CLEANER

## TECHNICAL DATA SHEET

Name : **THE TILE & GROUT BUSTER**  
Product : Ceramic joint cleaner.  
Code : BO-1953



MADE IN QUÉBEC



## 1.1 PRODUCT DESCRIPTION:

A specially developed cleaner for ceramic tiles, grout, bricks and dull stone surfaces. It also removes chalky efflorescence (nitrates) that occur on new ceramic joints. Effectively removes soot from stoves, bricks and chimneys.

**1.2 USES:** Interior or exterior surfaces

**1.3 CHARACTERISTICS:** An easy, ready-to-use product.

Follow the label instructions for the proper dilution rate to clean various surfaces and types of contamination.

## 1.4 Restrictions:

- For best results apply at temperatures between 150C – 300C (650F – 850F).
- Avoid contact with stainless steel or chrome surfaces.
- Do not use on plaster surfaces or joints.
- Do not use on marble or granite and porous tiles or similar stone surfaces.
- May alter the color of paints.
- Test on a hidden area to verify its effect on the surface.

**1.5 Guarantee:** This high-quality product is designed to give complete satisfaction when used as directed. The manufacturer's liability is limited to refunding the cost of the product.

## TECHNICAL INFORMATION

**2.1 Chemical composition:** Urea hydrochloric and organic salts (HCl) with an inhibiting agent.

**2.2 Container size:** HDPE plastic containers ,850 ml, 3.78 L, 18.9 L, 200 L

**2.3 Appearance:** Colorless and odorless liquid.

## 2.4 Storage:

- Store in a dry, well ventilated place
- Store at a temperature between 100C – 300C
- Store in a hermetically sealed container

## 2.5 Physical and chemical properties:

- Boiling point 1000C
- Freezing point -400C
- Water solubility 100%
- Viscosity N/A
- Density 1.03 kg / liter
- Flash Point N/A
- PH 1.8

## APPLICATION PROCEDURES

### 3.1 APPLICATION INSTRUCTIONS:

#### Ceramic tiles and sand-based floor grouts:

Apply the product directly to the surface, using a soft brush to lightly scrub the surface, and leaving the product at least 1 minute. Then brush and Rinse the surface with water.

#### Ceramic tiles and polymer wall grouts:

Dilute the product 1:1 with water, and apply using a scouring pad or a brush, rub lightly, then rinse with water.

#### New Grout with chalky powder:

Sometimes new grout produces a chalky white surface powder after a few weeks. To remove this powder, apply the product with a scouring pad or a brush, rub lightly, then rinse with water

#### Ceramic Tiles:

Use the product on newly installed ceramic tiles to remove white stains caused by the grout. Apply the product with a scouring pad or a clean cloth, rub lightly, then rinse with water.

#### Bricks, concrete mortar, dull-surfaced stone:

These surfaces become covered over time with mildew, dirt, grime, and soot. First wet the surface with water. Then, with a stiff brush apply a mixture of one-half The Tile & Grout Buster and one-half water. Vigorously scrub the surface, making sure to scrub deep into cracks and crevices to remove the dirt and grime, then rinse with water. We recommend working on small sections at a time. This product is also useful in cleaning newly laid brick.

## SAFETY MEASURES:

For first aid measures refer to the material safety data sheet or the label on the container. Corrosive and toxic. Avoid contact with the eyes, skin and clothing. Wear rubber gloves and eye protection when applying this product. Keep out of the reach of children. Do not mix with other products such as bleach or chlorine.

**Note:** The Surf Pro Tile & Grout Buster is safe, and will not harm the surface, when used as directed. The Tile & Grout Buster is an effective cleaner that removes all kinds of dirt, mildew, and efflorescent salts from tile grout, mortar, stone, bricks and concrete.



**SURF – PRO**

**THE TILE & GROUT BUSTER**



**JP'S TIPS :**

